



中国认可  
国际互认  
检测  
TESTING  
CNAS L10242



# 检测报告

## Test Report



报告编号 Report ID: ZARE20260608170

样品名称: “全兴” 饮用天然矿泉水  
Sample Name

委托单位: 成都全兴矿泉水业有限公司  
Applicant



四川省中安检测有限公司  
Sichuan Safety Testing Center Co., Ltd.  
<http://www.zatest.com>



# 报 告 声 明

## Report Statement

1. 本报告未加盖“四川省中安检测有限公司检验检测专用章”无效。  
The report is invalid without the dedicated inspection and testing stamp of Sichuan Safety Testing Center Co., Ltd.
2. 本报告无编制、审核、授权签字人签字无效。  
The report is invalid without the signature of its editor, auditor and the authorized signatory.
3. 本报告涂改或字迹模糊无效。  
The report is invalid if being altered or illegible.
4. 复印报告未重新加盖本公司检验检测专用章和骑缝章无效。  
The reproduced report is invalid without the cover or cross-page seal of the dedicated inspection and testing stamp.
5. 对报告有异议，应在《中华人民共和国食品安全法》《中华人民共和国农产品质量安全法》以及《中华人民共和国产品质量法》等法律法规规定的异议期内提出，逾期将不予受理。  
Any objections to the report should be raised to the company within the objection period stipulated by laws and regulations. The submission later than the deadline will be unacceptable.
6. 不可重复性或不能进行复测的实验，如微生物和现场监测，不进行复测，委托方须放弃异议权利。  
Experiments that are not repeatable or can not be retested, such as Microbiology Test and In-situ Monitoring, will not repeat. The client should give up the right of dissent.
7. 检验检测机构对委托人送检的样品进行检验的，检验检测报告对样品所检项目的符合性情况负责，送检样品的代表性和真实性由委托人负责。若判定依据由委托方提供，其真实性 and 有效性由委托方负责。  
Inspection and testing organizations are responsible for the conformity of the inspection items of the samples submitted by the client. The representativeness and authenticity of the submitted samples are the responsibility of the client. If the basis for judgment is provided by the client, the authenticity and validity thereof are the responsibility of the client.
8. 报告结果仅反映对所测样品的评价。  
The test report only reflects the appraisal of the entrusted samples.
9. “—”表示委托方未提供相关信息或产品未标示。  
“—” refers to no related information was received or marked on the product.
10. 实验室对报告中的所有信息负责，委托方提供的信息除外。  
The laboratory will be responsible for all the information provided in the report, except when the information is provided by the client.

地 址：四川省成都市成龙大道1666号经开科技孵化园B1栋1号楼、B2栋1号楼

Address: Building B1-1 and B2-1, National Economic and Technological Development Zone, No.1666, Chenglong Avenue, Chengdu, China

电话Tel: +86-028-68351808      +86-028-68351819

|                                        |                                                                                                                                                                                                                                        |                         |                                                                                       |
|----------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|---------------------------------------------------------------------------------------|
| 样品名称<br>Sample Name                    | “全兴” 饮用天然矿泉水                                                                                                                                                                                                                           | 检测类别<br>Test Type       | 委托检验                                                                                  |
| 商 标<br>Trademark                       | 全兴                                                                                                                                                                                                                                     | 样品来源<br>Sample Source   | 送样                                                                                    |
| 样品等级<br>Sample Level                   | —                                                                                                                                                                                                                                      | 样品形态<br>Sample Status   | 经肉眼观察未见异常                                                                             |
| 样品规格<br>Sample Specification           | 11.3L/桶                                                                                                                                                                                                                                | 样品数量<br>Sample Quantity | 6桶                                                                                    |
| 生产日期/批号<br>Production Date/Batch No.   | 2026.05.22                                                                                                                                                                                                                             | 到样日期<br>Received Date   | 2026年5月22日                                                                            |
| 生产单位<br>Manufacturer                   | 成都全兴矿泉水业有限公司                                                                                                                                                                                                                           | 检测日期<br>Test Period     | 2026年5月22日至2026年6月9日                                                                  |
| 生产单位地址<br>Manufacturer Address         | 四川省成都市蒲江县鹤山街道双拥路3号                                                                                                                                                                                                                     |                         |                                                                                       |
| 委托单位<br>Applicant                      | 成都全兴矿泉水业有限公司                                                                                                                                                                                                                           |                         |                                                                                       |
| 委托单位地址<br>Applicant Address            | 四川省成都市蒲江县鹤山街道双拥路3号                                                                                                                                                                                                                     |                         |                                                                                       |
| 检测项目<br>Requested Test(s)              | 详见检测结果页。                                                                                                                                                                                                                               |                         |                                                                                       |
| 判定依据<br>Judgment(s)                    | GB 8537-2018、GB 2762-2022、产品明示质量要求。                                                                                                                                                                                                    |                         |                                                                                       |
| 结论<br>Conclusion                       | 所检项目符合《食品安全国家标准 饮用天然矿泉水》（GB 8537-2018）、产品明示质量要求 及《食品安全国家标准 食品中污染物限量》（GB 2762-2022）要求。 <div><div>Dedicated Inspection and Testing Stamp</div></div> |                         |                                                                                       |
| 编 制 人<br>Edited By                     | 郭 华                                                                                                                                                                                                                                    | 审 核 人<br>Audited By     |  |
| 批准人<br>（授权签字人）<br>Authorized Signatory | 曹城雄 李怡                                                                                                                                                                                                                                 | 签发日期<br>Issuance Date   | 2026年6月9日                                                                             |

中  
安  
公  
司  
检  
验  
章

检 测 结 果

Test Result

报告编号Report ID: ZARE20260608170

第 2 页 共 4 页 Page 2 of 4

| 序号<br>No. | 检测项目<br>Test Item(s) |           | 检测方法<br>Method(s)        | 限量要求<br>Specification Limits           | 检测结果<br>Result     | 单位<br>Unit    | 单项评价<br>Appraisal |
|-----------|----------------------|-----------|--------------------------|----------------------------------------|--------------------|---------------|-------------------|
| 1         | 感官                   | 色度        | GB 8538-2022<br>2        | ≤10（不得呈现<br>其他异色）                      | <5                 | 度             | 符合                |
|           |                      | 浑浊度       | GB 8538-2022<br>5        | ≤1                                     | 0.00               | NTU           | 符合                |
|           |                      | 滋味、气<br>味 | GB 8538-2022<br>3        | 具有矿泉水特征<br>性口味，无异味<br>、无异嗅             | 符合                 | —             | 符合                |
|           |                      | 状态        | GB 8538-2022<br>4        | 允许有极少量的<br>天然矿物盐沉<br>淀，无正常视力<br>可见外来异物 | 符合                 | —             | 符合                |
| 2         | 产气荚膜梭菌               |           | GB 8538-2022<br>58       | n=5,c=0,<br>m=0                        | <1（未检出）            | CFU/<br>50mL  | 符合                |
|           |                      |           |                          |                                        | <1（未检出）            |               |                   |
|           |                      |           |                          |                                        | <1（未检出）            |               |                   |
|           |                      |           |                          |                                        | <1（未检出）            |               |                   |
|           |                      |           |                          |                                        | <1（未检出）            |               |                   |
| 3         | 粪链球菌                 |           | GB 8538-2022<br>56       | n=5,c=0,<br>m=0                        | <1（未检出）            | CFU/<br>250mL | 符合                |
|           |                      |           |                          |                                        | <1（未检出）            |               |                   |
|           |                      |           |                          |                                        | <1（未检出）            |               |                   |
|           |                      |           |                          |                                        | <1（未检出）            |               |                   |
|           |                      |           |                          |                                        | <1（未检出）            |               |                   |
| 4         | 铜绿假单胞菌               |           | GB 8538-2022<br>57       | n=5,c=0,<br>m=0                        | <1（未检出）            | CFU/<br>250mL | 符合                |
|           |                      |           |                          |                                        | <1（未检出）            |               |                   |
|           |                      |           |                          |                                        | <1（未检出）            |               |                   |
|           |                      |           |                          |                                        | <1（未检出）            |               |                   |
|           |                      |           |                          |                                        | <1（未检出）            |               |                   |
| 5         | 大肠菌群                 |           | GB 8538-2022<br>55.1.5.2 | n=5,c=0,<br>m=0                        | <1（未检出）            | MPN/<br>100mL | 符合                |
|           |                      |           |                          |                                        | <1（未检出）            |               |                   |
|           |                      |           |                          |                                        | <1（未检出）            |               |                   |
|           |                      |           |                          |                                        | <1（未检出）            |               |                   |
|           |                      |           |                          |                                        | <1（未检出）            |               |                   |
| 6         | 溶解性总固体               |           | GB 8538-2022<br>7.1      | 标签标示要求：<br>30-168                      | 92                 | mg/L          | 符合                |
| 7         | ☉溴酸盐                 |           | GB 8538-2022<br>49.1     | ≤0.01                                  | 未检出<br>（定量限：5μg/L） | mg/L          | 符合                |
| 8         | pH                   |           | GB 8538-2022<br>6        | 7.2±0.8                                | 7.16               | —             | 符合                |



# 检 测 结 果

## Test Result

报告编号Report ID: ZARE20260608170

第 3 页 共 4 页 Page 3 of 4

| 序号<br>No. | 检测项目<br>Test Item(s)                      |     | 检测方法<br>Method(s)    | 限量要求<br>Specification Limits                                                            | 检测结果<br>Result            | 单位<br>Unit | 单项评价<br>Appraisal |
|-----------|-------------------------------------------|-----|----------------------|-----------------------------------------------------------------------------------------|---------------------------|------------|-------------------|
| 9         | 界限<br>指标                                  | 偏硅酸 | GB 8538-2022<br>35.1 | 限量要求: ≥25.0<br>(含量在<br>25.0mg/L~<br>30.0mg/L时, 水<br>源水水温应在25<br>℃以上); 标签<br>标示要求: 35-80 | 60.7<br>(定量限: 1mg/L)      | mg/L       | 符合                |
|           |                                           | 锶   | GB 8538-2022<br>11.2 | ≥0.20 (含量在<br>0.20mg/L~<br>0.40mg/L时, 水<br>源水水温应在25<br>℃以上)                             | 未检出<br>(定量限: 0.09μg/L)    | mg/L       |                   |
|           |                                           | 硒   | GB 8538-2022<br>32.3 | ≥0.01                                                                                   | 未检出<br>(定量限: 0.00025mg/L) | mg/L       |                   |
| 10        | 铅<br>(以Pb计)                               |     | GB 8538-2022<br>20.2 | ≤0.01                                                                                   | 未检出<br>(定量限: 0.00013mg/L) | mg/L       | 符合                |
| 11        | 镉<br>(以Cd计)                               |     | GB 8538-2022<br>21.2 | ≤0.003                                                                                  | 未检出<br>(定量限: 0.00013mg/L) | mg/L       | 符合                |
| 12        | 总汞<br>(以Hg计)                              |     | GB 8538-2022<br>22.2 | ≤0.001                                                                                  | 未检出<br>(定量限: 0.4μg/L)     | mg/L       | 符合                |
| 13        | 总砷<br>(以As计)                              |     | GB 8538-2022<br>33.4 | ≤0.01                                                                                   | 未检出<br>(定量限: 0.4μg/L)     | mg/L       | 符合                |
| 14        | 亚硝酸盐<br>(以NO <sub>2</sub> <sup>-</sup> 计) |     | GB 8538-2022<br>41   | ≤0.1                                                                                    | 未检出<br>(定量限: 3.3μg/L)     | mg/L       | 符合                |
| 15        | 硝酸盐<br>(以NO <sub>3</sub> <sup>-</sup> 计)  |     | GB 8538-2022<br>40.2 | ≤45                                                                                     | 7.38<br>(定量限: 0.05mg/L)   | mg/L       | 符合                |
| 16        | 锑                                         |     | GB 8538-2022<br>11.2 | ≤0.005                                                                                  | 未检出<br>(定量限: 0.07μg/L)    | mg/L       | 符合                |
| 17        | 铜                                         |     | GB 8538-2022<br>17.2 | ≤1.0                                                                                    | 未检出<br>(定量限: 0.0017mg/L)  | mg/L       | 符合                |
| 18        | 钡                                         |     | GB 8538-2022<br>11.2 | ≤0.7                                                                                    | 未检出<br>(定量限: 0.3μg/L)     | mg/L       | 符合                |
| 19        | 总铬                                        |     | GB 8538-2022<br>19   | ≤0.05                                                                                   | 未检出<br>(定量限: 0.00047mg/L) | mg/L       | 符合                |

# 检 测 结 果

## Test Result

报告编号Report ID: ZARE20260110180

第 4 页 共 4 页 Page 4 of 4

| 序号<br>No.     | 检测项目<br>Test Item(s)                                             | 检测方法<br>Method(s)    | 限量要求<br>Specification Limits | 检测结果<br>Result             | 单位<br>Unit | 单项评价<br>Appraisal |
|---------------|------------------------------------------------------------------|----------------------|------------------------------|----------------------------|------------|-------------------|
| 20            | ◎锰                                                               | GB 8538-2022<br>11.2 | ≤0.4                         | 0.00034<br>(定量限: 0.06μg/L) | mg/L       | 符合                |
| 21            | ◎镍                                                               | GB 8538-2022<br>11.2 | ≤0.02                        | 未检出<br>(定量限: 0.07μg/L)     | mg/L       | 符合                |
| 22            | 银                                                                | GB 8538-2022<br>11.2 | ≤0.05                        | 未检出<br>(定量限: 0.03μg/L)     | mg/L       | 符合                |
| 23            | ◎硼酸盐<br>(以B计)                                                    | GB 8538-2022<br>34.1 | ≤5                           | 未检出<br>(定量限: 0.20mg/L)     | mg/L       | 符合                |
| 24            | 氟化物<br>(以F <sup>-</sup> 计)                                       | GB 8538-2022<br>36.4 | ≤1.5                         | 未检出<br>(定量限: 0.01mg/L)     | mg/L       | 符合                |
| 25            | 耗氧量<br>(以O <sub>2</sub> 计)                                       | GB 8538-2022<br>44.1 | ≤2.0                         | 0.434<br>(定量限: 0.05mg/L)   | mg/L       | 符合                |
| 26            | 挥发酚<br>(以苯酚计)                                                    | GB 8538-2022<br>46.1 | ≤0.002                       | 未检出<br>(定量限: 0.002mg/L)    | mg/L       | 符合                |
| 27            | 氰化物<br>(以CN <sup>-</sup> 计)                                      | GB 8538-2022<br>45.2 | ≤0.010                       | 未检出<br>(定量限: 0.002mg/L)    | mg/L       | 符合                |
| 28            | 阴离子合成洗涤<br>剂                                                     | GB 8538-2022<br>47.1 | ≤0.3                         | 未检出<br>(定量限: 0.050mg/L)    | mg/L       | 符合                |
| 29            | ◎矿物油                                                             | GB 8538-2022<br>48.3 | ≤0.05                        | 0.000                      | mg/L       | 符合                |
| 30            | ◎镁                                                               | GB 8538-2022<br>11.2 | 0.1-3.8                      | 1.5<br>(定量限: 0.4μg/L)      | mg/L       | 符合                |
| 31            | ◎钠                                                               | GB 8538-2022<br>11.2 | 2.0-15                       | 5.9<br>(定量限: 7.0μg/L)      | mg/L       | 符合                |
| 32            | ◎钙                                                               | GB 8538-2022<br>11.2 | 1.5-16                       | 3.5<br>(定量限: 6.0μg/L)      | mg/L       | 符合                |
| 33            | ◎钾                                                               | GB 8538-2022<br>11.2 | 0.4-2.6                      | 0.71<br>(定量限: 3.0μg/L)     | mg/L       | 符合                |
| 备注<br>Comment | 1. 带◎号的项目为未取得CNAS资质的项目。<br>2. 检测项目pH、钠、钾、钙、镁、溶解性总固体限量要求值来源于标签标示。 |                      |                              |                            |            |                   |

——报告结束 End of Report——